

Spare Parts Overview

Valid from 01.03.2025

Roller Garage Door RollMatic

Roller garage door RollMatic

Roller garage door RollMatic T

Garage horizontal door RollMatic OD

Rolling grille

HÖRMANN

Hörmann international sales companies and distribution partners



Hörmann KG
Verkaufsgesellschaft
 Upheider Weg 94-98
 D-33803 Steinhagen
 Telefon +49 5204 915-0
 Telefax +49 5204 915-277
 Internet www.hoermann.com

Hörmann international sales companies

International distribution partners

Hörmann international sales companies

Hörmann Austria
 A-5310 Mondsee
info@hoermann.at

Hörmann Baltic
 LT-14247 Vilnius r.
info@hormann.lt
 LV-2167 Marupe
info@hormann.lv

Hörmann Bel
 BY-220125 Minsk
info@hormann.by

Hörmann Belgium
 B-3700 Tongeren
info@hormann.be

Hörmann Bulgaria
 BG-1532 Sofia
info.sof@hormann.bg

Hörmann Česká republika
 CZ-252 68 Středokluky
info@hormann.cz

Hörmann China
 CN-100176 Beijing
sales.tjn@hoermann.cn

Hörmann Danmark
 DK-8940 Randers
info@hoermann.dk

Hörmann Eesti
 EST-76505 Saue
info.tll@hormann.ee

Hörmann España
 E-08228 Terrassa
info.cat@hormann.es

Mesvac Oy
 FI-02420 Jorvas
myynti@mesvac.fi

Hörmann France
 F-89102 Sens Cedex
info@hormann.fr

Hörmann Hellas
 GR-19400 Koropi
info@hormann.gr

Hörmann Hong Kong
 HK-Quarry Bay
info@hoermann.com.hk

Hörmann Hrvatska
 HR-10290 Zaprešić
info@hormann.hr

Hörmann Hungária
 H-2310 Szigetszentmiklós
info@hormann.hu

Hörmann Indien
 Shakti Hormann
 IND-500 043 Hyderabad,
 Telangana
sales@shaktihormann.com

Hörmann Indonesia
 ID-12520 Jakarta
info@hormann.id

Hörmann Ireland
 IRL – Y35 HH72 Wexford
info@hoermann.ie

Hörmann Italia
 I-20057 Assago (MI)
info@hormann.it

Hörmann Kazakhstan
 KZ-050019 Almaty
info@hormann.kz

Hörmann Maghreb
 MA-28810 Mohammedia
info@hormann.ma

Hörmann Malaysia
 MAL-40150 Shah Alam,
 Selangor
info_apac@hoermann.com

Hörmann Mexico
 MEX-66350
 Santa Catarina
info@hormann.com.mx

Hörmann Middle East & Africa
 UAE-Dubai
info.dxb@hormann.com

Hörmann Nederland
 NL-7324 CV Apeldoorn
info@hormann.nl

Hörmann Norge
 N-4640 Søgne
info@hoermann.no

Hörmann Polska
 PL-62-052 Komorniki
info@hormann.pl

Hörmann Portugal
 P-2710-297 Sintra
info@hormann.pt

Hörmann Romania
 RO-077040, Chiajna,
 Județul Ilfov
info@hormann.ro

Hörmann Russia
 RUS-196626
 Sankt Petersburg
info@hoermann.ru

Hörmann Schweiz
 CH-4702 Oensingen
info@hoermann.ch

Hörmann Serbia
 SRB-11272
 Beograd-Dobanovci
info@hormann.rs

Hörmann Slovenija
 SI-3301 Petrovče
info@hormann.si

Hörmann Slovenská republika
 SK-903 01 Senec
info.bts@hoermann.com

Hörmann Svenska
 S-70369 Örebro
info@hoermann.se

Hörmann Thailand
 TH-Bangplee,
 Samutprakarn 10540
info@hormann.co.th

Hörmann Türkiye
 TR-34870 Kartal – İstanbul
info.ist@hoermann.com.tr

Hörmann UK
 GB-Leicestershire
 LE67 4JW
info@hormann.co.uk

Hörmann Ukraine
 UA-08300 Boryspil,
 Kyivska Obl.
info@hoermann.com.ua

Hörmann Group North America, Inc.
 USA-Sparta,
 TN 38583
info@hormann.us

Hörmann Vietnam
 VN-Hanoi
info.han@hormann.vn

International distribution partners

Albania
 Algeria
 Argentina
 Armenia
 Australia
 Azerbaijan

Bangladesh
 Bosnia-Herzegovina
 Brazil
 Cambodia
 Chile
 Colombia

Cuba
 Cyprus
 Georgia
 Iceland
 Israel
 Japan

Kosovo
 Laos
 Luxembourg
 Malta
 Moldova
 Mongolia

Montenegro
 Myanmar
 New Zealand
 North Macedonia
 Peru
 South Korea

Taiwan
 The Philippines
 Tunisia
 Turkmenistan
 Uruguay
 Uzbekistan

For more information on our sales companies and sales partners, visit www.hoermann.com.

Our General terms and conditions of sale and delivery valid at the time of the order apply.
 The current version of our General terms and conditions of sale and delivery is available on our website: www.hoermann.com/en/gtc

Prices in €. Copyright. No part of this price list may be reproduced without our permission. All details subject to change.

Table of contents


	Page
■ Overview - Power-driven internal roller garage door RollMatic - Manually operated internal roller garage door and rolling grille RollMatic - Power-driven external roller garage door and rolling grille RollMatic - Rolling grille HG 75 TD - Garage horizontal door RollMatic OD - Roller garage door RollMatic T - Positions of the wind locks and gliders for PU 77 roller garage door section(RollMatic T from LB = 3000 mm) - Positions of the wind locks and gliders for rolling grille section HG 75 / HG 75 TD ■ 1. Power-driven internal roller garage door RollMatic ■ 2. Manually operated internal roller garage door and rolling grille RollMatic ■ 3. Power-driven external roller garage door and rolling grille RollMatic ■ 4. Operator accessories for external and internal roller garage doors RollMatic ■ 5. Rolling grilles and operator accessories HG 75 TD (tubular drive) ■ 6. Garage horizontal door RollMatic OD ■ 7. Roller garage door RollMatic T ■ 8. Accessories ■ 9. Fixing material ■ 10. L-Boxx for roller garage door, standard ■ Spare parts order form	4 4 5 6 7 8 9 10 11 12 28 35 42 45 49 56 68 70 72 73

Symbols used

Symbol	Description	Symbol	Description
	Price on request		Prices marked with a dot indicate articles that are available from stock or are available immediately ex works.
	Please note the extended delivery times		Article has been replaced.
	Made-to-order goods with delivery time		See price list
ERSROLL	Introductory articles for entering in the product configurator for configurable ERSROLL material (ERSROLL entry applies alternatively to all materials)		No longer available


Power-driven internal roller garage door RollMatic

Power-driven internal roller garage door RollMatic




Overview

Manually operated internal roller garage door and rolling grille RollMatic




Power-driven external roller garage door and rolling grille RollMatic




Overview

Rolling grille HG 75 TD




Overview

Garage horizontal door RollMatic OD






Overview



Roller garage door RollMatic T





Positions of the wind locks and gliders for PU 77 roller garage door section(RollMatic T from LB = 3000 mm)

Octagonal shaft			
			
Section position			
	1	Without	
	2	Glider	
	3	Without	
	4	Glider	
	5	Without	
	6	Wind lock	
	7	Without	
	8	Wind lock	
	9	Without	
	10	Glider	
	11	Without	
	12	Glider	
	13	Without	
	14	Wind lock	
	15	Without	
	16	Wind lock	
	17	Without	
	18	Wind lock	
	19	Without	
	20	Wind lock	
	21	Without	
	22	Glider	
	23	Without	
	24	Wind lock	
	25	Without	
	26	Glider	
	27	Without	
	28	Wind lock	
	29	Without	
	30	Wind lock	
	31	Without	
	32	Wind lock	
	33	Without	
	34	Glider	
	35	Without	
	36	Wind lock	
	37	Without	
	38	Glider	
	39	Without	
	40	Wind lock	
	41	Without	
	42	Wind lock	

Positions of the wind locks and gliders for rolling grille section HG 75 / HG 75 TD




Octagonal shaft			
			
	Section position	1	Without
		2	Glider
		3	Without
		4	Glider
		5	Without
		6	Glider
		7	Without
		8	Wind lock
		9	Without
		10	Wind lock
		11	Without
		12	Glider
		13	Without
		14	Glider
		15	Without
		16	Wind lock
		17	Without
		18	Glider
		19	Without
		20	Wind lock
		21	Without
		22	Wind lock
		23	Without
		24	Glider
		25	Without
		26	Wind lock
		27	Without
		28	Glider
		29	Without
		30	Wind lock
		31	Without
		32	Wind lock
		33	Without
		34	Wind lock
		35	Without
		36	Glider
		37	Without
		38	Wind lock
		39	Without
		40	Glider
		+	bottom profile

1. Power-driven internal roller garage door RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
  	★	1.1 Replacement curtain, complete			Unit(s)	
		With bottom profile, bottom seal, floor blocks and 2 fitting belts LB _____ x LH _____ mm Serial no. _____ Without closing edge safety device Up to serial no. 15365 From serial no. 16001	01.06.2014 – 31.12.2015 01.01.2016 –	ERSROLL ⌚ ERSROLL ⌚	_____ _____	/ each / each
		From serial no. 22152 For LB > 5000 mm with safety edge for RollMatic 2 (black control housing) Order the colour and high-quality coating Decograin or Decopaint in accordance with the price list. Indicate if internal or external roller garage door.	01.06.2022 –	ERSROLL ⌚	_____	/ each
		ATTENTION: An order form or order no. is required for doors with a chamfered bottom profile.				
		For RollMatic 2 (black control housing) safety edge decoder unit		4552042 •	_____	/ each
		Safety edge accessory bag		4552041 •	_____	/ each




1) 50% of door price

1. Power-driven internal roller garage door RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
  	★	1.2 Replacement curtain with glazing elements or complete ventilation grille With bottom profile, bottom seal, floor blocks and 2 fitting belts LB _____ × LH _____ mm Serial no. _____ Without closing edge safety device Up to serial no. 15365 From serial no. 16001 From serial no. 22152 For LB > 5000 mm with safety edge for RollMatic 2 (black control housing) Order the colour and high-quality coating Decograin or Decopaint in accordance with the price list. Indicate if internal or external roller garage door. ATTENTION: An order form or order no. is required for doors with a chamfered bottom profile. For RollMatic 2 (black control housing) safety edge decoder unit Safety edge accessory bag	01.06.2014 – 01.12.2015 01.01.2016 – 01.06.2022 –	ERSROLL  ERSROLL  ERSROLL 	Unit(s) _____ _____	/ each / each / each
				4552042 •	_____	/ each
				4552041 •	_____	/ each
	1.3	Fitting belt	01.04.2009 -	8991384 •	Unit(s) _____	/ each









1) 50% of door price

1. Power-driven internal roller garage door RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 1.4	Section profile PU 77	01.06.2014 – 01.12.2015 01.01.2016 –	ERSROLL  ERSROLL  ERSROLL 	Unit(s)	
		With drill stencil and instructions LB _____ mm Please indicate the serial no. ☐ Up to serial no. 15365 ☐ From serial no. 16001 Colour according to price list Decograin Decopaint Order the wind lock (art. no.: 8991525) and glider (art. no.: 8991526) according to the section plan on page 10.				/ m
						/ m
						/ m
	* 1.5	Section profile PU 77 with glazing elements	01.06.2014 – 01.12.2015 01.01.2016 –	ERSROLL  ERSROLL  ERSROLL 	Unit(s)	
		With drill stencil and instructions LB _____ mm Please indicate the serial no. ☐ Up to serial no. 15365 ☐ From serial no. 16001 Colour according to price list Decograin Decopaint Indicate if internal or external roller garage door. Order the wind lock (art. no.: 8991525) and glider (art. no.: 8991526) according to the section plan on page 10.				/ m
						/ m
						/ m
	* 1.6	Section profile PU 77 with ventilation grille	01.06.2014 – 01.12.2015 01.01.2016 –	ERSROLL  ERSROLL  ERSROLL 	Unit(s)	
		Ventilation grille in black plastic With drill stencil and instructions LB _____ mm Please indicate the serial no. ☐ Up to serial no. 15365 ☐ From serial no. 16001 Colour according to price list Decograin Decopaint Indicate if internal or external roller garage door. Order the wind lock (art. no.: 8991525) and glider (art. no.: 8991526) according to the section plan on page 10.				/ m
						/ m
						/ m






1) 50% of door price

1. Power-driven internal roller garage door RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	1.7	Exterior frame for glazing element and ventilation grille Section profile PU 77	01.06.2014 –	8991335 •	Unit(s) _____	/ each
	1.8	Glazing element for internal roller garage door Section profile PU 77 Note: May only be used with exterior frame	01.06.2014 –	8991336 •	Unit(s) _____	/ each
	1.9	Ventilation grille In black plastic Section profile PU 77 Note: May only be used with exterior frame	01.06.2014 –	8991337 •	Unit(s) _____	/ each
	1.10	Wind lock Section profile PU 77 Plastic screw 3.5 x 10	18.05.2018 – 01.04.2009 –	8991525 • 8991217 •	Unit(s) _____ _____	/ each / each
	1.11	Glider Section profile PU 77	18.05.2018 –	8991526 •	Unit(s) _____	/ each
	1.12	Hole punch for wind locks	01.03.2018 –	8991370 •	Unit(s) _____	/ each
	1.13	Embossing pliers for gliders	01.03.2018 –	8991371 •	Unit(s) _____	/ each
	1.14	Drill stencil	01.06.2014 –	8991386 •	Unit(s) _____	/ each




1) 50% of door price

1. Power-driven internal roller garage door RollMatic

Article	Item Description	Production period	Art. no.	Quantity	€
	1.15 Connection profile Required number per door : LB 1000 – 1600 mm (2 units) LB 1601 – 3000 mm (3 units) LB 3001 – 5000 mm (5 units) LB 5001 – 6000 mm (6 units) Self-tapping pan-head screw B4.8 × 13 (4 units per connection profile)	01.06.2014 –	8991322 •	Unit(s) _____	/ each
			8991220 •	_____	/ each
	1.16 Bottom profile LB _____ mm Please indicate the serial no. Up to serial no. 15365 From serial no. 16001	01.04.2009 – 01.12.2015 01.01.2016 –	ERSROLL ⌘ ERSROLL ⌘	Unit(s) _____ _____	/ m / m
	1.17 Threshold seal LB _____ mm Please indicate the serial no. Up to serial no. 15365 From serial no. 16001	01.04.2009 – 01.12.2015 01.01.2016 –	ERSROLL ⌘ ERSROLL ⌘	Unit(s) _____ _____	/ m / m
	1.18 Floor mount block Plastic screw 5 × 14	01.04.2009 – 01.04.2009 –	8991218 • 8991219 •	Unit(s) _____ _____	/ each / each
	1.19 Interior handle Power-driven: Self-tapping pan-head screw B4.8 × 13 Manually operated: Cylinder screw with hexagon socket M4 × 16 Pane 4.3	01.04.2009 –	8991221 • 8991220 • 8991565 • 1663000 •	Unit(s) _____ _____ _____ _____	/ each / each / each / each





1) 50% of door price

1. Power-driven internal roller garage door RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	1.20 Set: curtain cover / fascia panel, support bracket height 335 mm	01.01.2016 –	ERSROLL 	Unit(s)	
		For doors from serial no. 16001 LB _____ mm Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin				/ m
		Flat-head screw with hexagon socket M8 x 20			8991739 •	/ each
		Self-locking nut with serrated bearing M8			1090000 •	/ each
		Torx flat-head screw M6 x 16 Self-locking nut with serrated bearing M6			1091001 •	/ each
		Self-tapping pan-head screw B4.8 x 13			1036000 •	/ each
					8991220 •	/ each
	*	1.21 Set: curtain cover / fascia panel, support bracket height 290 mm	01.01.2016 –	ERSROLL 	Unit(s)	
		LB _____ mm For doors from serial no. 16001 Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin				/ m
		Flat-head screw with hexagon socket M8 x 20			8991739 •	/ each
		Self-locking nut with serrated bearing M8			1090000 •	/ each
		Torx flat-head screw M6 x 16 Self-locking nut with serrated bearing M6			1091001 •	/ each
		Self-tapping pan-head screw B4.8 x 13			1036000 •	/ each
					8991220 •	/ each
	*	1.22 Curtain cover support bracket height 335 mm	01.01.2016 –	ERSROLL 	Unit(s)	
		LB _____ mm For doors from serial no. 16001 Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin				/ m
		Self-tapping pan-head screw B4.8 x 13			8991220 •	/ each




1) 50% of door price

1. Power-driven internal roller garage door RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 1.23	Curtain cover support bracket height 290 mm	01.01.2016 –	ERSROLL 	Unit(s)	
		LB _____ mm For doors from serial no. 16001 Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin Self-tapping pan-head screw B4.8 × 13				/ m
	1.24	Left side cladding, support bracket height 335 mm	01.01.2016 –	ERSROLL 	Unit(s)	
		For doors from serial no. 16001 Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin Self-tapping pan-head screw B4.8 × 13				/ each
	1.25	Right side cladding, support bracket height 335 mm	01.01.2016 –	ERSROLL 	Unit(s)	
		For doors from serial no. 16001 Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin Self-tapping pan-head screw B4.8 × 13				/ each
	1.26	Left side cladding, support bracket height 290 mm	01.01.2016 –	ERSROLL 	Unit(s)	
		For doors from serial no. 16001 Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin Self-tapping pan-head screw B4.8 × 3				/ each



1) 50% of door price

1. Power-driven internal roller garage door RollMatic

Article	Item Description	Production period	Art. no.	Quantity	€
	1.27 Right side cladding, support bracket height 290 mm For doors from serial no. 16001 Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin Self-tapping pan-head screw B4.8 × 13	01.01.2016 –	ERSROLL 	Unit(s) _____	/ each
			8991220 •	_____	/ each
	* 1.28 Fascia panel, support bracket height 335 mm For doors from serial no. 16001 LB _____ mm Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin Flat-head screw with hexagon socket M8 × 20 Self-locking nut with serrated bearing M8 Torx flat-head screw M6 × 16 Self-locking nut with serrated bearing M6	01.01.2016 –	ERSROLL 	Unit(s) _____	/ m
			8991739 •	_____	/ each
			1090000 •	_____	/ each
			1091001 •	_____	/ each
			1036000 •	_____	/ each
	* 1.29 Fascia panel, support bracket height 290 mm For doors from serial no. 16001 LB _____ mm Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin Flat-head screw with hexagon socket M8 × 20 Self-locking nut with serrated bearing M8 Torx flat-head screw M6 × 16 Self-locking nut with serrated bearing M6	01.01.2016 –	ERSROLL 	Unit(s) _____	/ m
			8991739 •	_____	/ each
			1090000 •	_____	/ each
			1091001 •	_____	/ each
			1036000 •	_____	/ each



1) 50% of door price

1. Power-driven internal roller garage door RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	1.30 Support bracket			Unit(s)	
		Please indicate the serial no. Up to serial no. 15365 From serial no. 16001	01.04.2009 – 01.12.2015 01.01.2016 –	8991431 • 8991744 •	 	 / each / each
		Blind rivet 4 × 8		8991433 •	 	 / each
	*	1.31 Replacement cladding (set)			Unit(s)	
		For doors up to serial no. 15365 Consisting of curtain cover, side cladding, fascia panel, support bracket LB _____ mm Indicate curtain. Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin				
		State handing: ☐ Behind the opening ☐ In the opening ☐ In front of the opening				
		Specify rolling grille HG-L with pull cord separately. Support bracket height 335 Colour according to price list Decopaint	01.01.2016 –	ERSROLL 130 130 130 130	 	 / each / each
		Support bracket height 290 Colour according to price list Decopaint	01.01.2016 –	ERSROLL 130 130 130 130	 	 / each / each


1) 50% of door price


1. Power-driven internal roller garage door RollMatic


Article	Item	Description	Production period	Art. no.	Quantity	€
	*	1.32 Complete side guide FS 100, with plastic runner and brush seal on left LH _____ mm Please indicate the serial no. Up to serial no. 12295 From serial no. 12296 up to serial no. 15365 Colour according to price list Decopaint version: colours matched to the surface Decopaint Decograin version for fitting behind the opening: colours matched to the surface Decograin Decograin version for fitting in the opening: plastic film coating in colour of door curtain ATTENTION: An order form or order no. is required for doors with a chamfered bottom profile.	01.11.2010 – 21.10.2012	ERSROLL 	Unit(s)	/ each
			22.10.2012 – 01.12.2015	ERSROLL 		/ each
	*	1.33 Complete side guide FS 100, with spring hook, plastic runner and brush seal on right LH _____ mm Please indicate the serial no. Up to serial no. 12295 From serial no. 12296 up to serial no. 15365 Colour according to price list Decopaint version: colours matched to the surface Decopaint Decograin version for fitting behind the opening: colours matched to the surface Decograin Decograin version – for fitting in the opening: plastic film coating in colour of door curtain ATTENTION: An order form or order no. is required for doors with a chamfered bottom profile.	01.11.2010 – 21.10.2012	ERSROLL 	Unit(s)	/ each
			22.10.2012 – 01.12.2015	ERSROLL 		/ each

1) 50% of door price

1. Power-driven internal roller garage door RollMatic







Article	Item	Description	Production period	Art. no.	Quantity	€
	*	1.34 Complete side guide FS 110, with weather strip and brush seals on left LH _____ mm Please indicate the serial no. From serial no. 16001 Colour according to price list Decopaint version: colours matched to the surface Decopaint Decograin version for fitting behind the opening: colours matched to the surface Decograin Decograin version – for fitting in the opening: plastic film coating in colour of door curtain ATTENTION: An order form or order no. is required for doors with a chamfered bottom profile.	01.01.2016 –	ERSROLL 	Unit(s)	/ each

	*	1.35 Complete side guide FS 110, with spring hook, weather strip and brush seals on right LH _____ mm Please indicate the serial no. From serial no. 16001 Colour according to price list Decopaint version: colours matched to the surface Decopaint Decograin version for fitting behind the opening: colours matched to the surface Decograin Decograin version – for fitting in the opening: plastic film coating in colour of door curtain ATTENTION: An order form or order no. is required for doors with a chamfered bottom profile.	01.01.2016 –	ERSROLL 	Unit(s)	/ each

	*	1.36 Spring hook Left Right Hexagon head tapping screw B 6.3 × 16	01.04.2009 – 01.04.2009 –	8991244 • 8991243 • 1047101 •	Unit(s)	/ each / each / each





1) 50% of door price

1. Power-driven internal roller garage door RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	1.37 Side guide cover on spring side Transparent plastic Length _____ mm ATTENTION: An order form or order no. is required for doors with a chamfered bottom profile.	01.04.2009 –	ERSROLL 	Unit(s) _____	/ m
	*	1.38 Side guide cover on motor side Black plastic Length _____ mm ATTENTION: An order form or order no. is required for doors with a chamfered bottom profile.	01.04.2009 –	ERSROLL 	Unit(s) _____	/ m
	*	1.39 Complete octagonal shaft module, operator on left LB _____ mm Please indicate the serial no. Up to serial no. 15365 From serial no. 16001	01.04.2009 – 01.12.2015 01.01.2016 –	ERSROLL  ERSROLL 	Unit(s) _____ _____	/ each / each
		1.40 Octagonal shaft bearing insert	01.04.2009 –	8991452 •	Unit(s) _____	/ each
		1.41 Curtain ring with PU coating 80 mm octagonal shaft	01.01.2016 –	8991712 •	Unit(s) _____	/ each
		1.42 Complete octagonal shaft support Consisting of: bearing flange, bearing, bearing cover and screws	01.04.2009 –	8991226 •	Unit(s) _____	/ each




1) 50% of door price

1. Power-driven internal roller garage door RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	1.43	Bearing for octagonal shaft support	01.04.2009 –	8991229 •	Unit(s) _____	/ each
	* 1.44	Steel cable Ø 2 mm (2 pcs) L = 1900 mm (LH 1600 – 2300 mm) L = 2000 mm (LH 2301 – 2675 mm) L = 2100 mm (LH 2676 – 3100 mm) Note: Due to safety reasons, always replace both cables.	01.04.2009 – 01.04.2009 – 01.04.2009 –	8991294 • 8991295 • 8991296 •	Pair _____ _____ _____	/ each / each / each
	1.45	Cable drum, right Locking ring 25 × 1.2	01.04.2009 – 01.04.2009 –	8991224 • 8991228 •	Unit(s) _____ _____	/ each / each
	1.46	Chain sprocket module Locking ring 25 × 1.2	01.04.2009 – 01.04.2009 –	8991225 • 8991228 •	Unit(s) _____ _____	/ each / each
	1.47	Locking ring 25 × 1.2	01.04.2009 –	8991228 •	Unit(s) _____	/ each






1) 50% of door price

1. Power-driven internal roller garage door RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	1.48 Tension spring assembly			Unit(s)	
	A1		01.04.2009 –	8991251 •		/ each
	A2		01.04.2009 –	8991252 •		/ each
	A3		01.04.2009 –	8991253 •		/ each
	A4		01.04.2009 –	8991254 •		/ each
	A5		01.04.2009 –	8991255 •		/ each
	A12		01.04.2009 –	8991262 •		/ each
	A13		01.04.2009 –	8991263 •		/ each
	B1		01.04.2009 –	8991271 •		/ each
	B2		01.04.2009 –	8991272 •		/ each
	B3		01.04.2009 –	8991273 •		/ each
	B4		01.04.2009 –	8991274 •		/ each
	B5		01.04.2009 –	8991275 •		/ each
	B12		01.04.2009 –	8991282 •		/ each
	B13		01.04.2009 –	8991283 •		/ each
	C1		01.04.2009 –	8991285 •		/ each
	C2		01.04.2009 –	8991286 •		/ each
	C3		01.04.2009 –	8991287 •		/ each
	ZA1		01.04.2009 –	8991257 •		/ each
	ZA13		01.04.2009 –	8991256 •		/ each
	ZA2		01.04.2009 –	8991258 •		/ each
	ZA3		01.04.2009 –	8991259 •		/ each
	ZA4		01.04.2009 –	8991260 •		/ each
	ZA5		01.04.2009 –	8991261 •		/ each
	Z1		01.04.2009 –	8991276 •		/ each
	Z12		01.04.2009 –	8991288 •		/ each
	Z13		01.04.2009 –	8991289 •		/ each
	Z2		01.04.2009 –	8991277 •		/ each
	Z3		01.04.2009 –	8991278 •		/ each
	Z4		01.04.2009 –	8991279 •		/ each
	Z5		01.04.2009 –	8991280 •		/ each
	Note: Request spring identification from customer. Safety instructions: Always replace a damaged cover.					
		1.49 Spring securing pin	01.04.2009 –	1192000 •	Unit(s)	/ each
		1.50 Cable return pulley module Consisting of cable return pulley with socket, bolts and lock washer Note: Due to safety reasons, always replace the complete module.	01.04.2009 –	8991223 •	Unit(s)	/ each


1) 50% of door price


1. Power-driven internal roller garage door RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	1.51 Track roller module Consisting of guide roller with sleeve, bolt and holding clip Up to serial no. 22151	17.04.2012 –	8991222 •	Unit(s) _____	/ each	
	1.52 Guide roller operator series 2 module Consisting of guide roller with sleeve, bolt and holding clip From serial no. 22152	01.06.2022 –	8992178 •	Unit(s) _____	/ each	
	1.53 Holding clip For track roller module (article no.: 8991222)	01.04.2009 –	1071200 •	Unit(s) _____	/ each	
	1.54 Locking ring Note: For cable return pulley module (article no. 8991223) and to secure the track roller module (article no. 8991222)	01.04.2009 –	8991233 •	Unit(s) _____	/ each	
	1.55 Guide channel FS 100 Up to serial no. 15365 Left Right	31.07.2012 – 01.12.2015 31.07.2012 – 01.12.2015	8991437 • 8991438 •	Unit(s) _____ _____	/ each / each	
	1.56 Guide channel FS 110 from Serien-Nr. 16001 bitos 22151 Left Right Torx flat-head screw M6 x 16 Self-locking nut with serrated bearing M6	01.01.2016 – 01.01.2016 –	8991713 • 8991714 • 1091001 • 1036000 •	Unit(s) _____ _____ _____ _____	/ each / each / each / each	
	1.57 Guide channel FS 110 operator series 2 From serial no. 22152 Left Right Torx flat-head screw M6 x 16 Self-locking nut with serrated bearing M6	01.06.2022 – 01.06.2022 –	8991873 • 8991874 • 1091001 • 1036000 •	Unit(s) _____ _____ _____ _____	/ each / each / each / each	

1) 50% of door price




1. Power-driven internal roller garage door RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	1.58	Complete fitting accessories pack Up to serial no. 22151		8991200 •	Unit(s)	/ each

	1.59	Complete fitting accessories pack operator series 2 From serial no. 22152		8992172 •	Unit(s)	/ each



1) 50% of door price

2. Manually operated internal roller garage door and rolling grille RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 2.1	Replacement curtain PU 77, complete With bottom section profile, bottom seal, floor blocks and 2 fitting belts LB _____ x LH _____ mm Please indicate the serial no. Up to serial no. 15365 From serial no. 16001 Order the colour and high-quality coating Decograin or Decopaint in accordance with the price list.	01.06.2014 – 01.12.2015 01.01.2016 –	ERSROLL 	Unit(s)	/ each
				ERSROLL 		/ each
	* 2.2	Replacement curtain PU 77 with glazing elements or complete ventilation grille With bottom section profile, bottom seal, floor blocks and 2 fitting belts LB _____ x LH _____ mm Please indicate the serial no. Up to serial no. 15365 From serial no. 16001 Order the colour and high-quality coating Decograin or Decopaint in accordance with the price list.	01.06.2014 – 01.12.2015 01.01.2016 –	ERSROLL 	Unit(s)	/ each
				ERSROLL 		/ each
	* 2.3	Replacement curtain rolling grille RollMatic HG 75-R, complete With bottom section profile, bottom seal, floor blocks and 2 fitting belts LB _____ x LH _____ mm Please indicate the serial no. Up to serial no. 15365 From serial no. 16001 Choose hole pattern: straight or offset. Indicate locking type, handle type and position of the lock (right / left) as seen from the fitting side. Colour according to price list	01.04.2013 – 01.12.2015 01.01.2016 –	ERSROLL 	Unit(s)	/ each
				ERSROLL 		/ each




1) 50% of door price

2. Manually operated internal roller garage door and rolling grille RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 2.4 Replacement curtain rolling grille RollMatic HG-L, complete	With screw-on fixing brackets, extraction retainers, bottom section profile, bottom seal, floor blocks and 2 fitting belts LB _____ × LH _____ mm Please indicate the serial no. Up to serial no. 15365 From serial no. 16001 Mill-finished Colour according to price list	01.04.2013 – 01.12.2015 01.01.2016 –	8991460  8991460 	Unit(s) _____ _____	/ each / each
	* 2.5 Rolling grille RollMatic HG 75-R section profile	With drill stencil and instructions LB _____ mm Please indicate the serial no. Up to serial no. 15365 From serial no. 16001 Colour according to the price list, wind lock (article no.: 8991523) and glider (article no.: 8991524) according to the section plan on page 11 For the hole pattern offset, indicate the distance to the first perforation.	01.04.2013 – 01.12.2015 01.01.2016 –	8991520  8991520 	Unit(s) _____ _____	/ m / m
	2.6 Wind lock HG 75	Tapping screw with countersunk head B 4.2 × 22	01.04.2013 –	8991523 • 1158002 •	Unit(s) _____ _____	/ each / each
	2.7 Glider HG 75	Tapping screw with countersunk head B 4.2 × 22	01.04.2013 –	8991524 • 1158002 •	Unit(s) _____ _____	/ each / each




1) 50% of door price

2. Manually operated internal roller garage door and rolling grille RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 2.8	Bottom section profile for PU 75, PU 77 and HG 75 With pre-assembled locking rods LB _____ mm Please indicate the serial no. Up to serial no. 15365 From serial no. 16001 Black anodised aluminium Specify door type. Indicate locking type, handle type and position of the lock (right / left) as seen from the fitting side. Indicate the serial no. for internal roller garage doors.	03.12.2013 – 01.12.2015 01.01.2016 –	8991532 	Unit(s)	
				8991532 		/ m / m
	* 2.9	Bottom section profile for HG-L With pre-assembled locking rods LB _____ mm Please indicate the serial no. Up to serial no. 15365 From serial no. 16001 Choose mill-finished or anodised black. Indicate locking type, handle type and position of the lock (right / left) as seen from the fitting side.	01.04.2013 – 01.12.2015 01.01.2016 –	8991533 	Unit(s)	
				8991533 		/ m / m
	* 2.10	Curtain cover support bracket height 335 mm For rolling grilles with pull cord and fitting in front of the opening For doors from serial no. 16001 LB _____ mm Specify door type. ☐ HG 75 ☐ HG-L Indicate curtain. Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin Self-tapping pan-head screw B4.8 x 13	01.01.2016 –	ERSROLL  ERSROLL 	Unit(s)	
				8991220 •		/ m / m / each




1) 50% of door price

2. Manually operated internal roller garage door and rolling grille RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	2.11 Curtain cover support bracket height 290 mm For rolling grilles with pull cord and fitting in front of the opening For doors from serial no. 16001 LB _____ mm Specify door type. ☐ HG 75 ☐ HG-L Indicate curtain. Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin Self-tapping pan-head screw B4.8 × 13	01.01.2016 –	ERSROLL  ERSROLL 	Unit(s)	_____ / m _____ / m
			01.04.2009 –	8991220 •	_____	_____ / each
	*	2.12 Complete side guide FS 100, with plastic runner and brush seal on left LH _____ mm Up to serial no.: 12295 From serial no. 12296 up to serial no. 15365 Colour according to price list Decopaint version: colours matched to the surface Decopaint Decograin version for fitting behind the opening: colours matched to the surface Decograin Decograin version – for fitting in the opening: plastic film coating in colour of door curtain	01.11.2010 – 21.10.2012	ERSROLL 	Unit(s)	_____ / each
			22.10.2012 – 01.12.2015	ERSROLL 	_____	_____ / each
	*	2.13 Complete side guide FS 100, with spring hook, plastic runner and brush seal on right LH _____ mm Up to serial no. 12295 From serial no. 12296 up to serial no. 15365 Colour according to price list Decopaint version: colours matched to the surface Decopaint Decograin version for fitting behind the opening: colours matched to the surface Decograin Decograin version – for fitting in the opening: plastic film coating in colour of door curtain	01.11.2010 – 21.10.2012	ERSROLL 	Unit(s)	_____ / each
			22.10.2012 – 01.12.2015	ERSROLL 	_____	_____ / each







1) 50% of door price

2. Manually operated internal roller garage door and rolling grille RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 2.14	Side guide cover on spring side Length _____ mm (A) Internal rolling shutter, transparent plastic (B) Rolling grille Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin	01.04.2009 – 01.04.2013 –	ERSROLL ⌚ ERSROLL ⌚	Unit(s)	
					_____	/ m
	* 2.15	Side guide cover on operator side Length _____ mm (A) Internal rolling shutter with chain hoist, black plastic (B) Rolling grille with pull cord and fitting behind and in the opening, black plastic (C) Rolling grille with pull cord and fitting in front of the opening Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin	01.04.2009 – 01.04.2013 – 01.04.2013 –	ERSROLL ⌚ ERSROLL ⌚ ERSROLL ⌚	Unit(s)	
					_____	/ m
					_____	/ m
	2.16	Chain hoist and chain tensioner Support bracket height 290 mm Support bracket height 335 mm	01.06.2022 – 01.06.2022 –	8991552 • 8991553 •	Unit(s)	
					_____	/ each
					_____	/ each


1) 50% of door price

2. Manually operated internal roller garage door and rolling grille RollMatic

Article	Item Description	Production period	Art. no.	Quantity	€
	2.17 Lock with cover	01.03.2010 –	8991582 •	Unit(s)	/ each
	Countersunk head screw M4 × 30		8991572 •		/ each
	Cylinder screw with hexagon socket M4 × 16		8991565 •		/ each
	2.18 Cover for lock	01.03.2010 –	8991571 •	Unit(s)	/ each
	Taptite self-tapping pan-head screw M5 × 12		8991564 •		/ each
	2.19 Profile cylinder 31.5 + 31.5 mm	01.03.2010 –	1320001 •	Unit(s)	/ each
	2.20 Handle set	01.03.2010 –	1424010 •	Unit(s)	/ each
	2.21 Short locking rod module	03.12.2012 –	8991568 •	Unit(s)	/ each
	2.22 Long locking rod module LB _____ mm Please indicate the serial no. Up to serial no. 15365 From serial no. 16001	03.12.2012 – 01.12.2015 01.01.2016 –	ERSROLL ⌚ ERSROLL ⌚	Unit(s)	/ m / m
	2.23 Extraction retainer for HG-L	01.04.2013 –	8991461 •	Unit(s)	/ each
	Self-tapping pan-head screw B4.8 × 13		8991220 •		/ each




1) 50% of door price

2. Manually operated internal roller garage door and rolling grille RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	2.24 Steel cable Ø 2 mm			Pair	
		(2 pcs)				
		Rolling shutter				
		L = 1900 mm (LH 1600 – 2300 mm)	01.04.2009 –	8991294 •	_____	/ each
		L = 2000 mm (LH 2301 – 2675 mm)	01.04.2009 –	8991295 •	_____	/ each
		L = 2100 mm (LH 2676 – 3100 mm)	01.04.2009 –	8991296 •	_____	/ each
		Rolling grille HG 75				
		L = 1900 mm (LH 1600 – 2300 mm) and (LH 2376 – 2825 mm)	01.04.2009 –	8991294 •	_____	/ each
		L = 2000 mm (LH 2301 – 2375 mm) and (LH 2826 – 3000 mm)	01.04.2009 –	8991295 •	_____	/ each
		Rolling grille HG-L				
		L = 1900 mm (LH 1600 – 2646 mm) and (LH 2376 – 2940 mm)	01.04.2009 –	8991294 •	_____	/ each
		L = 2000 mm (LH 2647 – 2675 mm) and (LH 2941 – 3100 mm)	01.04.2009 –	8991295 •	_____	/ each
		Note: Due to safety reasons, always replace both cables.				



1) 50% of door price

3. Power-driven external roller garage door and rolling grille RollMatic

Article	Item Description	Production period	Art. no.	Quantity	€
	3.1 Glazing element for external roller garage door Note: May only be used with exterior frame	01.06.2014 –	8991338 •	Unit(s) _____	/ each
	3.2 Ventilation grille for external roller garage door in black plastic Note: May only be used with exterior frame	01.06.2014 –	8991337 •	Unit(s) _____	/ each
* 	3.3 Set: curtain cover / fascia panel, support bracket height 335 mm For external rolling shutter LB _____ mm For doors from serial no. 16001 ☐ Operator left ☐ Operator right ☐ Symmetric curtain cover Indicate curtain. Colour according to price list, Decopaint version: Colours matched to the surface Decopaint Flat-head screw with hexagon socket M8 × 20 Self-locking nut with serrated bearing M8 Self-tapping pan-head screw B4.8 × 13	01.01.2016 –	ERSROLL ⌚ 8991739 • 1090000 • 8991220 •	Unit(s) _____ _____ _____ _____	/ m / each / each / each




1) 50% of door price

3. Power-driven external roller garage door and rolling grille RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 3.4	Set: curtain cover / fascia panel, support bracket height 290 mm For external rolling shutter LB _____ mm For doors from serial no. 16001 ☐ Operator left ☐ Operator right ☐ Symmetric curtain cover Indicate curtain. Colour according to price list, Decopaint version: Colours matched to the surface Decopaint Flat-head screw with hexagon socket M8 x 20 Self-locking nut with serrated bearing M8 Self-tapping pan-head screw B4.8 x 13	01.01.2016 –	ERSROLL 	Unit(s)	
						/ m
				8991739 •		/ each
				1090000 •		/ each
				8991220 •		/ each
	* 3.5	Curtain cover support bracket height 335 mm LB _____ mm For doors from serial no. 16001 ☐ Operator left ☐ Operator right ☐ Symmetric curtain cover Specify door type. ☐ External roller garage door and HG 75 ☐ HG-L Indicate curtain. Colour according to price list, Decopaint version: colours matched to the surface Decopaint. Self-tapping pan-head screw B4.8 x 13	01.01.2016 –	ERSROLL 	Unit(s)	
				ERSROLL 		/ m
						/ m
				8991220 •		/ each



1) 50% of door price

3. Power-driven external roller garage door and rolling grille RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 3.6	Curtain cover support bracket height 290 mm	01.01.2016 –		Unit(s)	
		LB _____ mm For doors from serial no. 16001 ☐ Operator left ☐ Operator right ☐ Symmetric curtain cover Specify door type. ☐ External roller garage door and HG 75 ☐ HG-L Indicate curtain. Colour according to price list, Decopaint version: colours matched to the surface Decopaint.		ERSROLL  ERSROLL 	_____ _____	/ m / m
		Self-tapping pan-head screw B4.8 × 13		8991220 •	_____	/ each
	3.7	Side cladding, support bracket height 335 mm	01.01.2016 –	ERSROLL 	Unit(s)	
		For doors from serial no. 16001 Colour according to price list, Decopaint version: colours matched to the surface Decopaint.			_____	/ each
		Self-tapping pan-head screw B4.8 × 13		8991220 •	_____	/ each
	3.8	Side cladding, support bracket height 290 mm	01.01.2016 –	ERSROLL 	Unit(s)	
		For doors from serial no. 16001 Colour according to price list, Decopaint version: colours matched to the surface Decopaint.			_____	/ each
		Self-tapping pan-head screw B4.8 × 13		8991220 •	_____	/ each




1) 50% of door price

3. Power-driven external roller garage door and rolling grille RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	3.9 Fascia panel, support bracket height 335 mm with bracket extension	01.01.2016 –	ERSROLL 	Unit(s)	
					/ m	
		8991739 •			/ each	
		1090000 •			/ each	
	*	3.10 Fascia panel, support bracket height 290 mm with bracket extension	01.01.2016 –	ERSROLL 	Unit(s)	
					/ m	
		8991739 •			/ each	
		1090000 •			/ each	




1) 50% of door price

3. Power-driven external roller garage door and rolling grille RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	3.11 Replacement cladding (set) For doors up to serial no. 15365 With curtain cover, side cladding, fascia panel, support bracket, support bracket extension, sealing strip LB _____ mm ☐ Operator left ☐ Operator right ☐ Symmetric curtain cover Indicate curtain. Colour according to price list, Decopaint version: colours matched to the surface Decopaint Support bracket height 335 Colour according to price list Decopaint Support bracket height 290 Colour according to price list Decopaint	01.01.2016 –	ERSROLL	Unit(s)	
				ERSROLL		/ each
				ERSROLL		/ each
				ERSROLL		/ each
	*	3.12 Complete side guide FS 100, operator side with plastic runner and brush seal LH _____ mm Up to serial no. 15365 Colour according to price list, Decopaint version: colours matched to the surface Decopaint. ATTENTION: An order form or order no. is required for doors with a chamfered bottom profile.	01.03.2012 – 01.12.2015	ERSROLL	Unit(s)	
				ERSROLL		/ each
	*	3.13 Complete side guide FS 100, spring side with spring hook, plastic runner and brush seal LH _____ mm Up to serial no. 15365 Position of the operator as seen from the fitting side: ☐ Operator left ☐ Operator right Colour according to price list, Decopaint version: colours matched to the surface Decopaint. ATTENTION An order form or order no. is required for doors with a chamfered bottom profile.	01.03.2012 – 01.12.2015	ERSROLL	Unit(s)	
				ERSROLL		/ each






1) 50% of door price

3. Power-driven external roller garage door and rolling grille RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 3.14	Complete side guide FS 110, operator side with weather strip and brush seals	01.01.2016 –	ERSROLL 	Unit(s)	/ each
		LH _____ mm From serial no. 16001 Colour according to price list, Decopaint version: colours matched to the surface Decopaint. ATTENTION: An order form or order no. is required for doors with a chamfered bottom profile.			_____	
	* 3.15	Complete side guide FS 110, spring side with spring hook, weather strip and brush seals	01.01.2016 –	ERSROLL 	Unit(s)	/ each
		LH _____ mm From serial no. 16001 Position of the operator as seen from the fitting side: ☐ Operator left ☐ Operator right Colour according to price list Decopaint version: colours matched to the surface Decopaint. ATTENTION An order form or order no. is required for doors with a chamfered bottom profile.			_____	
	* 3.16	Side guide cover on spring side	01.03.2012 –	ERSROLL 	Unit(s)	/ m
		Length _____ mm Colour according to price list Decopaint version: colours matched to the surface Decopaint. ATTENTION An order form or order no. is required for doors with a chamfered bottom profile.			_____	







1) 50% of door price

3. Power-driven external roller garage door and rolling grille RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 3.17	Side guide cover on operator side Length _____ mm (A) External rolling shutter Colour according to price list Decopaint version: colours matched to the surface Decopaint (B) Rolling grille Black plastic ATTENTION An order form or order no. is required for doors with a chamfered bottom profile.	01.03.2012 –	ERSROLL 	Unit(s)	
					_____	/ m
			01.04.2013 –	ERSROLL 	_____	/ m
	3.18	Window for spring cover	01.03.2012 –	8991334 •	Unit(s)	/ each
	3.19	Spring guide	01.03.2012 –	8991208 •	Unit(s)	/ each
	* 3.20	Complete octagonal shaft module LB _____ mm Please indicate the serial no. Up to serial no. 15365 From serial no. 16001 Position of the operator as seen from the fitting side: ☐ Operator left ☐ Operator right	01.03.2012 – 01.12.2015 01.01.2016 –	ERSROLL  ERSROLL 	Unit(s)	/ each
					_____	/ each
	3.21	Cable drum Left Right Locking ring 25 x 1.2	01.04.2009 – 01.04.2009 –	8991458 • 8991224 •	Unit(s)	/ each
					_____	/ each
			01.04.2009 –	8991228 •	_____	/ each








1) 50% of door price

4. Operator accessories for external and internal roller garage doors RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 4.1 Operator (internal rolling shutter)		01.04.2009 – 01.04.2013 –	439458 ↻ 439588 •	Unit(s)	/ each
		Series 1 (grey)	01.04.2012 – 01.06.2022	439588 •		/ each
		Series 2 (black)	01.06.2022 – 31.12.2023	4555670 •		/ each
		Series 2 (black)	01.02.2024 –	4510947 •		/ each
	* 4.2 Operator cover (internal rolling shutter)		01.04.2009 – 01.06.2022	436610 •	Unit(s)	/ each
		Series 2 (black)	01.06.2022 –	4511043 •		/ each
	* 4.3 Operator circuit board		01.04.2009 – 01.04.2013 –	436614 ↻ 436997 •	Unit(s)	/ each
		Series 1 (grey)	01.04.2013 – 01.06.2022	436997 •		/ each
		Series 2 internal rolling shutter	01.06.2022 – 31.12.2023	4555666 •		/ each
		Series 2 external rolling shutter	01.06.2022 – 31.12.2023	4555667 •		/ each
		Series 2 internal rolling shutter	01.02.2024 –	4510938 •		/ each
		Series 2 external rolling shutter	01.02.2024 –	4510939 •		/ each
	* 4.4 Internal rolling shutter accessory bag		01.04.2009 – 01.06.2022	436520 •	Unit(s)	/ each
		Series 2 (black)	01.06.2022 –	4510768 •		/ each
	* 4.5 Roller chain	64 sides (internal rolling shutter, LH ≤ 2300 mm)	01.04.2009 –	436435 •	Unit(s)	/ each
		68 sides (internal rolling shutter, LH > 2300 mm)	01.04.2009 –	436436 •		/ each
		50 sides (external roller garage door)	01.03.2012 –	437718 •		/ each
	* 4.6 Motor connecting lead (4 × 1 mm²)				Unit(s)	
		Series 1 (grey)				
		2.5 m	01.04.2009 –	436521 •		/ each
		10 m	01.04.2009 –	436523 •		/ each
		Series 2 (black)				
		2.5 m	01.06.2022 –	4510773 •		/ each
		10 m	01.06.2022 –	4510774 •		/ each








1) 50% of door price

4. Operator accessories for external and internal roller garage doors RollMatic

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	4.7 Control Series 1	01.04.2009 – 01.07.2012	4511550 ×	Unit(s)	
		Control without radio				
		Software version A	01.04.2013 – 01.12.2013	4512805 •	_____	/ each
		Software version C	01.01.2014 – 01.05.2015	4512809 ↻	_____	/ each
		Software version D, > D	01.06.2015 –	4512850 •	_____	/ each
		Series 2	01.06.2022 –	4510946 •	_____	/ each
		4.8 Circuit board 868 MHz	01.04.2009 – 01.07.2013	436615 •	Unit(s)	/ each
		Circuit board				
		no radio	01.04.2013 – 01.12.2013	436994 •	_____	/ each
		no radio	01.01.2014 – 01.05.2015	436996 ↻	_____	/ each
		no radio	01.06.2015 –	437010 •	_____	/ each
		Note: With series 2, replace the complete controls.				
		4.9 Cover for control Series 1	01.04.2009 – 01.06.2022	436611 •	Unit(s)	/ each
		4.10 Terminal cover Series 1	01.04.2009 – 01.06.2022	436613 •	Unit(s)	/ each
		4.11 Lamp cover Series 1	01.04.2009 – 01.06.2022	436612 •	Unit(s)	/ each
		4.12 Terminals			Unit(s)	
		2-pin	01.04.2009 –	436394 •	_____	/ each
		4-pin	01.04.2009 –	436395 •	_____	/ each
		4.13 Light bulb 240 V / E 14 25 W	01.04.2009 –	439522 ↻	Unit(s)	
		Halogen candle bulb 240 V / E14 18 W	01.07.2014 –	439598 •	_____	/ each
		Series 1				





1) 50% of door price

4. Operator accessories for external and internal roller garage doors RollMatic





Article	Item	Description	Production period	Art. no.	Quantity	€
	*	4.14 LED candle bulb 240 V / E14 3 W Series 1	01.03.2017 –	439719 •	Unit(s) _____	/ each
	*	4.15 Operator (external rolling shutter) Series 1 (grey) Series 2 (black) Series 2	01.03.2012 – 01.03.2012 – 01.05.2022 01.06.2022 – 31.12.2023 01.02.2024 –	439591 • 439591 • 4555671 • 4510948 •	Unit(s) _____ _____ _____ _____	/ each / each / each / each
	*	4.16 Accessory bag 1, emergency / maintenance release External rolling shutter	01.03.2012 –	437719 •	Unit(s) _____	/ each
	*	4.17 Accessory bag 2, emergency / maintenance release	01.03.2012 – 01.05.2022 01.06.2022 –	437720 ↻ 4510833 •	Unit(s) _____	/ each
	*	4.18 Set: accessory bag for top end-of-travel position Series 2	01.06.2022 –	4510839 •	Unit(s) _____	/ each
	*	4.19 Operator accessory bag External rolling shutter	01.03.2012 –	439474 •	Unit(s) _____	/ each
	*	4.20 Protective box for control	01.12.2024 –	8992240 •	Unit(s) _____	/ each

1) 50% of door price








5. Rolling grilles and operator accessories HG 75 TD (tubular drive)

Article	Item Description	Production period	Art. no.	Quantity	€
	* 5.1 Replacement curtain rolling grille HG 75 TD, complete With bottom section profile, bottom seal, floor blocks and 2 fitting belts LB _____ x LH _____ mm Please indicate the serial no. Up to serial no. 18212 From serial no. 18213 ☐ HG 75-R straight ☐ HG 75-R offset ☐ HG 75-V unperforated Colour according to price list	01.01.2016 – 01.07.2018 01.08.2018 –	8991303  8991305 	Unit(s) _____ _____	/ each / each
	* 5.2 Section profile HG 75 TD Incl. drill stencil and instructions LB _____ mm ☐ HG 75-R straight ☐ HG 75-R offset ☐ HG 75-V unperforated Colour according to price list Order the wind lock (art. no.: 8991523) and glider (art. no.: 8991524) according to the section plan on page 11. For the HG 75-R offset, indicate the distance to the first perforation.	01.08.2018 –	8991520 	Unit(s) _____	/ m
	* 5.3 Bottom section profile for HG 75 TD LB _____ mm Black anodised aluminium	01.01.2016 –	8991742 	Unit(s) _____	/ m
	* 5.4 Curtain cover support bracket height 335 mm LB _____ mm Colour according to price list Up to serial no. 18212 From serial no. 18213 Self-tapping pan-head screw B4.8 x 13	01.01.2016 – 01.07.2018 01.08.2018 –	8991750  8991750  8991220 •	Unit(s) _____ _____ _____	/ m / m / each






5. Rolling grilles and operator accessories HG 75 TD (tubular drive)

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 5.5	Curtain cover support bracket height 400 mm, thermally insulated LB _____ mm Colour according to price list From serial no. 18213 Up to serial no. 18212 on request Self-tapping pan-head screw B4.8 × 13	01.08.2018 –	8991768 	Unit(s)	/ m
				8991220 •		/ each
	* 5.6	Fascia panel, support bracket height 335 mm with cable duct LB _____ mm For doors from serial no. 16001 Colour according to price list Flat-head screw M8 × 16 Self-locking nut with serrated bearing M8	01.01.2016 –	8991730 	Unit(s)	/ m
				3043208 •		/ each
				1090000 •		/ each
	* 5.7	Fascia panel, support bracket height 400 mm, insulated LB _____ mm For doors from serial no. 16001 Colour according to price list Flat-head screw M8 × 16 Self-locking nut with serrated bearing M8 Fascia panel with additional fascia panel Note: Please indicate if an additional fascia panel is fitted. Then it must be delivered pre-assembled from the factory.	01.01.2016 –	8991767 	Unit(s)	/ m
				3043208 •		/ each
				1090000 •		/ each
				8991769 •		/ each
	5.8	Left side cladding, support bracket height 400 mm For doors from serial no. 16001 Colour according to price list Self-tapping pan-head screw B4.8 × 13	01.08.2016 –	8991765 	Unit(s)	/ each
				8991220 •		/ each





5. Rolling grilles and operator accessories HG 75 TD (tubular drive)

Article	Item Description	Production period	Art. no.	Quantity	€
	5.9 Right side cladding, support bracket height 400 mm For doors from serial no. 16001 Colour according to price list Self-tapping pan-head screw B4.8 × 13	01.08.2016 –	8991766 	Unit(s) _____	/ each
			8991220 •	_____	/ each
	5.10 Cable clip Torx self-tapping pan-head screw 4.2 × 9.5	01.08.2018 –	8994756 •	Unit(s) _____	/ each
			1314001 •	_____	/ each
	5.11 Complete side guide FS 110, with weather strip and brush seals on left LB _____ mm Colour according to price list	01.01.2016 –	8991740 	Unit(s) _____	/ each
	5.12 Complete side guide FS 110, with weather strip and brush seals on right LB _____ mm Colour according to price list	01.01.2016 –	8991741 	Unit(s) _____	/ each
	5.13 Octagonal shaft with curtain rings LB _____ mm	01.01.2016 –	8991732 	Unit(s) _____	/ each
	5.14 Tubular drive with adapter plate LB _____ mm L60-M05 (60 Nm) L80-M05 (80 Nm) L120-M05 (120 Nm) Self-tapping screw M6 × 12	01.01.2016 – 01.01.2016 – 01.01.2016 –	8991733 • 8991734 • 8991735 • 8991748 •	Unit(s) _____ _____ _____ _____	/ each / each / each / each
	5.15 Shaft bolt for 80 mm octagonal shaft	01.08.2018 –	8994750 •	Unit(s) _____	/ each

5. Rolling grilles and operator accessories HG 75 TD (tubular drive)








Article	Item Description	Production period	Art. no.	Quantity	€
	5.16 Roll-off safeguard with plug			Unit(s)	
	DR 70 (up to 70 Nm) with 8 m cable	01.01.2016 –	8991807 •	_____	/ each
	DR 140 (up to 140 Nm) with 8 m cable	01.01.2016 –	8991736 •	_____	/ each
	Round-head screw with square neck M6 × 30		8991749 •	_____	/ each
	Self-locking nut with serrated bearing M6		1036000 •	_____	/ each
	5.17 Roll-off safeguard reset key	01.03.2018 –	8991746 •	Unit(s) _____	/ each
	5.18 Bearing flange From serial no. 18213	01.08.2018 –	8991747 •	Unit(s) _____	/ each
	Flat-head screw M8 × 16		3043208 •	_____	/ each
	Round-head screw with hexagon socket M8 × 20		8991739 •	_____	/ each
	Self-locking nut with serrated bearing M8		1090000 •	_____	/ each
	5.19 Connecting socket TD	01.01.2016 –	437117 •	Unit(s) _____	/ each
	5.20 Connecting cable 2.5 m	01.01.2016 –	437118 •	Unit(s) _____	/ each

6. Garage horizontal door RollMatic OD

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 6.1 Replacement curtain, complete	With curtain link bracket, rollers, bottom profile, bottom seal and cable guides LB _____ × LH _____ mm Indicate the position of the operator (left / right) as seen from the fitting side. Choose the colour and high-quality coating Decograin or Decopaint in accordance with the price list.	01.07.2017 –	ERSROLL 	Unit(s) _____	/ each
	6.2 Replacement curtain with glazing elements or complete ventilation grille	With curtain link bracket, rollers, bottom profile, bottom seal and cable guides LB _____ × LH _____ mm Indicate the position of the operator (left / right) as seen from the fitting side. Choose the colour and high-quality coating Decograin or Decopaint in accordance with the price list.	01.07.2017 –	ERSROLL 	Unit(s) _____	/ each
	* 6.3 Section profile PU 77 OD	With drill stencil and instructions. LB _____ mm Colour according to price list Decograin Decopaint Order the roller module if required.	01.07.2017 – 01.07.2017 – 01.01.2017 –	ERSROLL  ERSROLL  ERSROLL 	Unit(s) _____ _____ _____	/ m / m / m
	* 6.4 Section profile PU 77 OD with glazing elements	With drill stencil and instructions. LB _____ mm Colour according to price list Decograin Decopaint Order the roller module if required.	01.07.2017 – 01.07.2017 – 01.01.2017 –	ERSROLL  ERSROLL  ERSROLL 	Unit(s) _____ _____ _____	/ m / m / m






2) 60% of door price

6. Garage horizontal door RollMatic OD

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 6.5	Section profile PU 77 OD with ventilation grille		ERSROLL  ERSROLL  ERSROLL 	Unit(s)	
		With drill stencil and instructions.				
		LB _____ mm				
		Colour according to price list				/ m
	6.6	Roller module	01.07.2017 –	8993409 •	Unit(s)	/ each
		Consisting of: base body and roller				
	6.7	Folding roller bracket module	07.01.2019 –	8993442 •	Unit(s)	/ each
		Consisting of: base body and roller				
	6.8	Hole punch for roller	01.03.2018 –	8991372 •	Unit(s)	/ each
	6.9	Curtain link bracket	01.07.2017 –	8993413 •	Unit(s)	/ each
		Self-tapping pan-head screw B4.8 × 13				
	* 6.10	Bottom profile	01.07.2017 –	ERSROLL 	Unit(s)	/ m
		LB _____ mm				
	* 6.11	Threshold seal	01.07.2017 –	ERSROLL 	Unit(s)	/ m
		LB _____ mm				




2) 60% of door price

6. Garage horizontal door RollMatic OD

Article	Item Description	Production period	Art. no.	Quantity	€
	6.12 Bottom profile cable guide	07.10.2019 –	8993412 •	Unit(s)	/ each
	Plastic screw 5 x 14		8991219 •		/ each
	* 6.13 Fascia panel LB _____ mm Fitting situation: ☐ In the opening ☐ Behind the opening ☐ Without perforation Colour according to price list Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin	01.07.2017 –	ERSROLL 	Unit(s)	/ m
	6.14 Lintel seal Black plastic LB _____ mm	01.07.2017 –	ERSROLL 	Unit(s)	/ m
	6.15 Corner pulley Black plastic	01.07.2017 – 01.07.2017 –	8993527 • 8993528 •	Unit(s)	
	Left Right				/ each / each
	* 6.16 Vertical side guide LH _____ mm Fitting situation: ☐ In the opening ☐ Behind the opening ☐ Flush fitting in the opening with panel 95 ☐ Without perforation Left Right Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin	01.07.2017 – 01.07.2017 –	ERSROLL  ERSROLL 	Unit(s)	/ each / each





2) 60% of door price

6. Garage horizontal door RollMatic OD

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	6.17 Complete spring guide With spring assembly, cable, cable pulley, catch safety device and brush seal LB × LH _____ mm Left Right Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin	01.07.2017 – 01.07.2017 –	ERSROLL  ERSROLL 	Unit(s)	
						/ each / each
	*	6.18 Spring assembly LB × LH _____ mm DLT01 DLT02 DLT03 DLT04 DLT05 DLT06 Note: Request spring identification from customer. 2 spring assemblies per side are required. Safety instructions: Functional parts, particularly safety components, may only be exchanged by specialists.	01.07.2017 – 01.07.2017 – 01.07.2017 – 01.07.2017 – 01.07.2017 – 01.07.2017 –	8993570 • 8993571 • 8993572 • 8993573 • 8993574 • 8993575 •	Unit(s)	
						/ each / each / each / each / each / each
	*	6.19 Plastic cord (2 pcs) LH _____ mm Note: Due to safety reasons, always replace on both sides. Safety instructions: Functional parts, particularly safety components, may only be exchanged by specialists.	01.07.2017 –	ERSROLL 	Pair	
						/ each







2) 60% of door price

6. Garage horizontal door RollMatic OD

Article	Item Description	Production period	Art. no.	Quantity	€
	6.20 Cable pulley with catch safety device	01.07.2017 –	8993545 •	Unit(s) _____	/ each
	6.21 Cable pulley top, complete	01.07.2017 –	8993540 •	Unit(s) _____	/ each
	6.22 Spring receiver hinge	01.07.2017 –	8993552 •	Unit(s) _____	/ each
	* 6.23 Complete operator boom With slide carriage, operator disc holder, toothed belt, toothed belt coupling, tension unit and catch safety device LH _____ mm Indicate the position of the operator as seen from the fitting side: ☐ Operator left ☐ Operator right ☐ ProMatic series 3 ☐ SupraMatic E series 3, series 4, ProMatic series 4 Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin	01.07.2017 – 01.07.2017 –	ERSROLL 60 ERSROLL 60	Unit(s) _____ _____	/ each / each



2) 60% of door price

6. Garage horizontal door RollMatic OD

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 6.24	Horizontal side guide LH _____ mm Indicate the position of the operator as seen from the fitting side: ☐ Operator left ☐ Operator right Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin	01.07.2017 – 01.07.2017 –	ERSROLL  ERSROLL 	Unit(s)	
					_____	/ each
	* 6.25	Rear spacer LB _____ mm Flat-head screw with hexagon socket M6 × 12 Self-locking nut with serrated bearing M6	01.07.2017 –	ERSROLL  1091002 • 1036000 •	_____	/ each
					_____	/ each
	6.26	Replacement operator ProMatic Series 4	01.10.2019 –	4510252 •	Unit(s)	/ each
	6.27	Replacement operator SupraMatic E Series 4	01.10.2019 –	4510253 •	Unit(s)	/ each
	6.28	Accessory bag RollMatic OD	01.07.2017 –	439789 •	Unit(s)	/ each
	6.29	Track anchor Self-locking nut with serrated bearing M8 Round-head screw with square neck M8 × 25 Washer A8.4 Hexagon head tapping screw B 6.3 × 19 Washer A6.4	01.07.2017 –	1101301 • 1090000 • 8991745 • 1000411 • 1041019 • 1110000 •	Unit(s)	/ each
					_____	/ each
					_____	/ each
					_____	/ each
					_____	/ each
					_____	/ each
					_____	/ each





2) 60% of door price

6. Garage horizontal door RollMatic OD

Article	Item Description	Production period	Art. no.	Quantity	€
	6.30 Perforated anchor (4 pieces per set) Self-locking nut with serrated bearing M8 Round-head screw with square neck M8 × 16 Washer A8.4	01.07.2017 –	1983103 •	set	/ each
			1090000 •	Unit(s)	/ each
			1091000 •		/ each
			1000411 •		/ each
	6.31 Fixing material accessory bag		8993481 •	Unit(s)	/ each





2) 60% of door price

7. Roller garage door RollMatic T

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 7.1	Replacement curtain, complete With bottom profile module LB _____ × LH _____ mm ☐ Internal roller garage door ☐ External roller garage door ☐ Side guide FS 75 ☐ Side guide FS 105 Indicate the position of the operator and control (left / right) as seen from the fitting side. Order the colour and high-quality coating Decograin or Decopaint in accordance with the price list.	01.09.2020 –	ERSROLL 	Unit(s)	/ each
	7.2	Extruded section 77 Top section profile	01.09.2020 –	8991520 •	Unit(s)	/ each
	* 7.3	Section profile PU 77 With drill stencil and instructions LB _____ mm ☐ Side guide FS 75 ☐ Side guide FS 105 Colour according to price list Decograin Decopaint / Noir 2100 Sablé Order the wind lock (art. no.: 8991525) and glider (art. no.: 8991526) according to the section plan on page 10.	01.09.2020 – 01.09.2020 – 01.09.2020 –	ERSROLL  ERSROLL  ERSROLL 	Unit(s)	/ m / m / m
	* 7.4	Section profile PU 77 with glazing elements With drill stencil and instructions LB _____ mm ☐ Internal roller garage door ☐ External roller garage door ☐ Side guide FS 75 ☐ Side guide FS 105 Colour according to price list Decograin Decopaint / Noir 2100 Sablé Order the wind lock (art. no.: 8991525) and glider (art. no.: 8991526) according to the section plan on page 10.	01.09.2020 – 01.09.2020 – 01.09.2020 –	ERSROLL  ERSROLL  ERSROLL 	Unit(s)	/ m / m / m








1) 50% of door price

7. Roller garage door RollMatic T

Article	Item Description	Production period	Art. no.	Quantity	€
	* 7.5 Section profile PU 77 with ventilation grille Ventilation grille in black plastic With drill stencil and instructions LB _____ mm ☐ Internal roller garage door ☐ External roller garage door ☐ Side guide FS 75 ☐ Side guide FS 105 Colour according to price list Decograin Decopaint / Noir 2100 Sablé Order the wind lock (art. no.: 8991525) and glider (art. no.: 8991526) according to the section plan on page 10.	01.09.2020 – 01.09.2020 – 01.09.2020 –	ERSROLL 80 ERSROLL 80 ERSROLL 80	Unit(s) _____ _____ _____	/ m / m / m
	7.6 Wind lock Plastic screw 3.5 × 10	01.09.2020 –	8991525 • 8991217 •	Unit(s) _____ _____	/ each / each
	7.7 Glider	01.09.2020 –	8991526 •	Unit(s) _____	/ each
	7.8 Connection profile for octagonal shaft Required number per door: SW 70 LB 1000 – 1600 mm (2 units) LB 1601 – 3000 mm (3 units) SW 80 LB 1601 – 3000 mm (3 units) LB 3001 – 5000 mm (5 units) LB 5001 – 6000 mm (6 units) Self-tapping pan-head screw B4.8 × 13 (4 units per connection profile)	01.09.2020 – 01.09.2020 –	8991833 • 8991322 • 8991220 •	Unit(s) _____ _____ _____ _____	/ each / each / each





1) 50% of door price

7. Roller garage door RollMatic T

Article	Item Description	Production period	Art. no.	Quantity	€
	7.9 Bottom profile module With bottom profile, bottom seal, stop plug, SKS receiver, SKS transmitter LB _____ mm ☐ Internal roller garage door ☐ External roller garage door ☐ Standard (with spiral cable) ☐ OSE with radio transmission Indicate the position of the operator and control (left / right) as seen from the fitting side.	01.09.2020 – 01.09.2020 –	ERSROLL ⌚	Unit(s) _____	/ each
			ERSROLL ⌚	_____	/ each
	7.10 Set: Radio safety edge optosensors Adapter sleeve 12 to 15 mm	01.09.2020 –	8992230 •	Unit(s) _____	/ each
			8992305 •	_____	/ each
	7.11 Transmitter, radio safety edge	01.09.2020 –	8992231 •	Unit(s) _____	/ each
	7.12 Transmitter safety edge Cable length 6500 mm Cable length 3000 mm	01.09.2020 – 01.09.2020 –	638248 •	Unit(s) _____	/ each
			4549115 •	_____	/ each
	7.13 Receiver safety edge Cable length 500 mm	01.09.2020 –	638194 •	Unit(s) _____	/ each
	7.14 System plug 4-pin	01.09.2020 –	8994124 •	Unit(s) _____	/ each
	7.15 Crimping pliers for system plugs	01.09.2020 –	637677 •	Unit(s) _____	/ each
	7.16 Stop plug OSE	01.09.2020 –	8994130 •	Unit(s) _____	/ each
	Plastic screw 5 × 14	01.09.2020 –	8991219 •	_____	/ each




1) 50% of door price

7. Roller garage door RollMatic T

Article	Item Description	Production period	Art. no.	Quantity	€
	7.17 Bottom profile fixing	01.09.2020 –	8991822	Unit(s) _____	/ each
	Self-tapping pan-head screw B4.8 × 13		8991220	_____	/ each
	7.18 Interior handle	01.09.2020 –	8991221 •	Unit(s) _____	/ each
	Self-tapping pan-head screw B4.8 × 13		8991220 •	_____	/ each
	* 7.19 Set: curtain cover / fascia panel, support bracket height 335 mm	01.09.2020 – 01.09.2020 –	ERSROLL ⌚ ERSROLL ⌚	Unit(s) _____	/ m.
	LB _____ mm ☐ Internal roller garage door ☐ External roller garage door Boom FS 75 Boom FS 105 ☐ Operator on left (view of fitting side) ☐ Operator on right (view of fitting side) Indicate the door and motor type. Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin Self-tapping pan-head screw B4.8 × 13 Blind rivet 4 × 8			_____	/ m.
	* 7.20 Set: curtain cover / fascia panel, support bracket height 290 mm	01.09.2020 – 01.09.2020 –	ERSROLL ⌚ ERSROLL ⌚	Unit(s) _____	/ m.
	LB _____ mm ☐ Internal roller garage door ☐ External roller garage door Boom FS 75 Boom FS 105 ☐ Operator on left (view of fitting side) ☐ Operator on right (view of fitting side) Indicate the door and motor type. Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin Self-tapping pan-head screw B4.8 × 13 Blind rivet 4 × 8			_____	/ m.
			8991220 • 8991433 •	_____	/ each / each






1) 50% of door price

7. Roller garage door RollMatic T

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 7.21	Curtain cover support bracket height 335 mm			Unit(s)	
		LB _____ mm ☐ Internal roller garage door ☐ External roller garage door Boom FS 75 Boom FS 105 ☐ Operator on left (view of fitting side) ☐ Operator on right (view of fitting side) Indicate the door and motor type. Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin Self-tapping pan-head screw B4.8 × 13	01.09.2020 – 01.09.2020 –	ERSROLL  ERSROLL 	_____ _____ _____	/ m. / m. / each
				8991220 •	_____	/ each
	* 7.22	Curtain cover support bracket height 290 mm			Unit(s)	
		LB _____ mm ☐ Internal roller garage door ☐ External roller garage door Boom FS 75 Boom FS 105 ☐ Operator on left (view of fitting side) ☐ Operator on right (view of fitting side) Indicate the door and motor type. Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin Self-tapping pan-head screw B4.8 × 13	01.09.2020 – 01.09.2020 –	ERSROLL  ERSROLL 	_____ _____ _____	/ m. / m. / each
				8991220 •	_____	/ each
	7.23	Left side cladding, support bracket height 335 mm	01.09.2020 –	ERSROLL 	Unit(s)	/ each
		Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin Self-tapping pan-head screw B4.8 × 3		8991220 •	_____	/ each



1) 50% of door price

7. Roller garage door RollMatic T

Article	Item Description	Production period	Art. no.	Quantity	€
	7.24 Right side cladding, support bracket height 335 mm Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin Self-tapping pan-head screw B4.8 x 3	01.09.2020 –	ERSROLL  8991220 •	Unit(s) _____	/ each
				_____	/ each
	7.25 Left side cladding, support bracket height 290 mm Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin Self-tapping pan-head screw B4.8 x 3	01.09.2020 –	ERSROLL  8991220 •	Unit(s) _____	/ each
				_____	/ each
	7.26 Right side cladding, support bracket height 290 mm Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin Self-tapping pan-head screw B4.8 x 3	01.09.2020 –	ERSROLL  8991220 •	Unit(s) _____	/ each
				_____	/ each
	7.27 Side cladding for external roller garage door, support bracket height 335 mm Colour according to price list, Decopaint version: Colours matched to the surface Decopaint Self-tapping pan-head screw B4.8 x 3	01.09.2020 –	ERSROLL  8991220 •	Unit(s) _____	/ each
				_____	/ each
	7.28 Side cladding for external roller garage door, support bracket height 290 mm Colour according to price list, Decopaint version: Colours matched to the surface Decopaint Self-tapping pan-head screw B4.8 x 3	01.09.2020 –	ERSROLL  8991220 •	Unit(s) _____	/ each
				_____	/ each





1) 50% of door price

7. Roller garage door RollMatic T

Article	Item	Description	Production period	Art. no.	Quantity	€
	* 7.29	Fascia panel with bearing flange, support bracket and cable duct support bracket height 335 mm			Unit(s)	
		LB _____ mm ☐ Internal roller garage door ☐ External roller garage door Boom FS 75 Boom FS 105 Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin	01.09.2020 – 01.09.2020 –	ERSROLL  ERSROLL 	_____ _____ _____	/ m. / m. _____
		Blind rivet 4 × 8		8991433 •	_____	/ each
	* 7.30	Fascia panel with bearing flange, support bracket and cable duct support bracket height 290 mm			Unit(s)	
		LB _____ mm ☐ Internal roller garage door ☐ External roller garage door Boom FS 75 Boom FS 105 Colour according to price list, Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin	01.09.2020 – 01.09.2020 –	ERSROLL  ERSROLL 	_____ _____ _____	/ m. / m. _____
		Blind rivet 4 × 8		8991433 •	_____	/ each
	7.31	Cable clip			Unit(s)	
		N-5B white, maximum bundle diameter 8 mm N-4BE-BK black, maximum bundle diameter 6.4 mm	01.09.2020 – 01.09.2020 –	8994757  8994756 	_____ _____ _____	/ each / each _____
		Torx self-tapping pan-head screw M4 × 8		8992301 •	_____	/ each






1) 50% of door price

7. Roller garage door RollMatic T

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	7.32 Complete side guide FS 75, with weather strip and brush seals LH _____ mm Left Right State handing: ☐ Behind the opening ☐ In the opening ☐ In front of the opening ☐ With fitting hole, external emergency release for internal rolling shutter Indicate the position of the operator and control (left / right) as seen from the fitting side. Colour according to price list Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin	01.09.2020 – 01.09.2020 –	ERSROLL  ERSROLL 	Unit(s)	
						/ each / each
	*	7.33 Complete side guide FS 105, with weather strip and brush seals LH _____ mm Left Right State handing: ☐ Behind the opening ☐ In the opening ☐ In front of the opening ☐ With fitting hole, external emergency release for internal rolling shutter Indicate the position of the operator and control (left / right) as seen from the fitting side. Colour according to price list Decopaint / Decograin version: Colours matching the surface finish Decopaint / Decograin	01.09.2020 – 01.09.2020 –	ERSROLL  ERSROLL 	Unit(s)	
						/ each / each
		7.34 Octagonal shaft SW 70 with curtain rings LB _____ mm	01.09.2020 –	ERSROLL 	Unit(s)	/ each
		7.35 Curtain ring 70 mm octagonal shaft	01.09.2020 –	8991832 	Unit(s)	/ each








1) 50% of door price

7. Roller garage door RollMatic T

Article	Item	Description	Production period	Art. no.	Quantity	€
	7.36	Octagonal shaft SW 80 with curtain rings LB _____ mm	01.09.2020 –	ERSROLL 	Unit(s) _____	/ each
	7.37	Curtain ring with PU 80 mm octagonal shaft	01.09.2020 –	8991712 	Unit(s) _____	/ each
	* 7.38	Tubular drive with adapter plate With mechanical end-of-travel position setting: 50 Nm, octagonal shaft SW 70 50 Nm, octagonal shaft SW 80 80 Nm, octagonal shaft SW 80 With electronic end-of-travel position setting: 40 Nm, octagonal shaft SW 70 40 Nm, octagonal shaft SW 80 60 Nm, octagonal shaft SW 80 Tubular drive Somfy with mechanical end-of-travel position setting 40 Nm, octagonal shaft SW 70 40 Nm, octagonal shaft SW 80 80 Nm, octagonal shaft SW 80 Round-head screw with square neck M6 × 12 Self-locking nut with serrated bearing M6	01.09.2020 – 01.09.2020 – 01.09.2020 – 01.09.2020 – 01.09.2020 – 01.09.2020 – 01.09.2020 – 01.09.2020 – 01.09.2020 –	8991806 • 8994325 • 8994326 • 8994311 • 8994312 • 8994313 • 8994401 • 8994403 • 8994407 • 1161048 • 1036000 •	Unit(s) _____ _____ _____ _____ _____ _____ _____ _____ _____ _____ _____	/ each / each / each / each / each / each / each / each / each / each / each
	7.39	Shaft bolt for octagonal shaft SW 70 SW 80	01.09.2020 – 01.09.2020 –	8991835 • 8994750 •	Unit(s) _____ _____	/ each / each
	7.40	Roll-off safeguard with plug DR 70 (up to 70 Nm) with cable, 8 m Round-head screw with square neck M6 × 30 Self-locking nut with serrated bearing M6	01.09.2020 –	8991807 • 8991749 • 1036000 •	Unit(s) _____ _____ _____	/ each / each / each






1) 50% of door price

7. Roller garage door RollMatic T

Article	Item Description	Production period	Art. no.	Quantity	€
	7.41 Roll-off safeguard reset key	01.09.2020 –	8991746 •	Unit(s) _____	/ each
	7.42 Eyelet 200 With fitting screw and plain washer For operator with mechanical end-of-travel position setting	01.09.2020 –	8991814	Unit(s) _____	/ each
	7.43 Eyelet 250 With fitting screw and plain washer For operator with electronic end-of-travel position setting	01.09.2020 –	8994740	Unit(s) _____	/ each
	7.44 End-of-travel position setting tool	01.09.2020 –	8991816	Unit(s) _____	/ each
	7.45 Crank handle 1.4 m Mechanical end-of-travel position setting	01.09.2020 –	8991815	Unit(s) _____	/ each
	Electronic end-of-travel position setting	01.09.2020 –	8991636	Unit(s) _____	/ each
	7.46 Track roller module FS 75 FS 105 Comprising: Guide roller with sleeve, bolt and holding clip	01.09.2020 – 01.09.2020 –	8991823 8994713	Unit(s) _____ _____	/ each / each
	7.47 Guide channel FS 75 Left	01.09.2020 –	8991871	Unit(s) _____	/ each
	Right	01.09.2020 –	8991872	Unit(s) _____	/ each
	Self-tapping pan-head screw B4.8 × 13		8991220	Unit(s) _____	/ each



1) 50% of door price

7. Roller garage door RollMatic T

Article	Item	Description	Production period	Art. no.	Quantity	€
	7.48 Feed-in aid FS 105				Unit(s)	
	Left		01.09.2020 –	8991881	_____	/each
	Right		01.09.2020 –	8991882	_____	/each
	7.49 Tubular drive stop				Unit(s)	
	Left		01.09.2020 –	8994711	_____	/each
	Right		01.09.2020 –	8994712	_____	/each
	Self-tapping pan-head screw B4.8 × 13			8991220	_____	/each
	7.50 Control				Unit(s)	
	433 MHz OSE with spiral cable		01.09.2020 –	8992211	_____	/each
	868 MHz BiSecur OSE with spiral cable		01.09.2020 –	8992212	_____	/each
	433 MHz radio SKS		01.09.2020 –	8992213	_____	/each
	868 MHz BiSecur radio SKS		01.09.2020 –	8992214	_____	/each
	7.51 Emergency release lock				Unit(s)	
	With rose escutcheon for external roller garage door		01.09.2020 –	8991680 •	_____	/each
	7.52 Complete fitting accessories pack				Unit(s)	
	RollMatic T 75		01.09.2020 –	8992170	_____	/each







1) 50% of door price

7. Roller garage door RollMatic T





Article	Item Description	Production period	Art. no.	Quantity	€
	7.53 Complete fitting accessories pack RollMatic T 105	01.09.2020 –	8992171	Unit(s) _____	/ each
	7.54 Quick fitting grommet 16 x 12 x 1.5	01.09.2020 –	8991854	Unit(s) _____	/ each
	7.55 Cover cap, Ø 15 mm RAL 9016, Traffic white RAL 9005, Jet black RAL 7038, Agate grey	01.09.2020 – 01.09.2020 – 01.09.2020 –	8993485 8993486 8993487	Unit(s) _____ _____ _____	/ each / each / each
	7.56 Holding clip For track roller module		1071200 •	Unit(s) _____	/ each
	7.57 Locking ring Note: For securing the track roller module		8991233 •	Unit(s) _____	/ each

1) 50% of door price








8. Accessories

Article	Item	Description	Production period	Art. no.	Quantity	€
	8.1 Chamfered bottom profile	With accessories and fitting instructions Note: Indicate the dimensions according to the order form. Please indicate the serial no. ☐ Up to serial no. 15365 ☐ From serial no. 16001 black Colour according to price list (Timber designs are not available)	01.03.2010 – 01.12.2015 01.01.2016 –	8991340 ⌚ 8991340 ⌚	Unit(s) _____ _____ _____	
	* 8.2 Brush seal for fascia panel with fitting instructions	LB up to 3000 mm LB up to 5000 mm	01.07.2010 – 01.07.2010 –	8991423 • 8991424 •	Unit(s) _____ _____	
	8.3 Pull cord	With instructions	01.04.2013 –	8991581 •	Unit(s) _____	
	8.4 Recessed handle	Complete with interior handle, blind rivets, screw, spacer brush and instructions	01.04.2013 –	8991583 •	Unit(s) _____	
	* 8.5 Acoustic anti-lift kit	Series 1 (grey) Series 2 (black)	01.04.2009 – 01.04.2009 – 01.06.2022 01.06.2022 –	436524 • 436524 • 4510872 •	Unit(s) _____ _____ _____	/ each / each / each
	* 8.6 Double release		01.03.2012 –	437728 •	Unit(s) _____	/ each
	* 8.7 Bowden cable for roller garage door (1 m)		01.03.2012 –	437986 •	Unit(s) _____	/ each








8. Accessories

Article	Item	Description	Production period	Art. no.	Quantity	€
	*	8.8 Emergency / maintenance release	01.04.2009 –	436526 •	Unit(s) _____	/ each
		8.9 Mains connection cable RollMatic 2 EU version GB version Version CH	01.06.2022 – 01.06.2022 – 01.06.2022 –	4510778 • 4510789 • 4510868 •	Unit(s) _____ _____ _____	/ each / each / each
		8.10 Mains connection cable with safety plug 1.5 m	01.01.2016 –	436127 •	Unit(s) _____	/ each
		8.11 SKS connection box with spiral cable Up to LH 3000 mm	01.09.2020 –	437003 •	Unit(s) _____	/ each
		8.12 Cable holder RollMatic T 1000 – 1600 mm (4 ×) 1601 – 3000 mm (6 ×) 3001 – 5000 mm (10 ×)	01.01.2016 –	8992822 •	Unit(s) _____	/ each


9. Fixing material

Article	Item	Description	Production period	Art. no.	Quantity	€
	9.1	Self-tapping pan-head screw B 4.8 x 13		8991220 •	Unit(s) _____	/ each
	9.2	Plastic screw 5 x 14		8991219 •	Unit(s) _____	/ each
	9.3	Plastic screw 3.5 x 10		8991217 •	Unit(s) _____	/ each
	9.4	Flat-head screw with hexagon socket M6 x 12 M8 x 20		1091002 8991739 •	Unit(s) _____	/ each / each
	9.5	Torx flat-head screw M6 x 16		1091001 •	Unit(s) _____	/ each
	9.6	Self-locking nut with serrated bearing M6 M8		1036000 • 1090000 •	Unit(s) _____ _____	/ each / each
	9.7	Cylinder screw with hexagon socket M4 x 16		8991565 •	Unit(s) _____	/ each
	9.8	Washer A4.3 A6,4 (6,4 x 18 x 1,6 mm) A8,4 (8,4 x 16 x 1,6 mm)		1663000 • 1110000 • 1000411 •	Unit(s) _____ _____ _____	/ each / each / each
	9.9	Blind rivet 4 x 8		8991433 •	Unit(s) _____	/ each
	9.10	Countersunk head screw M4 x 30		8991572 •	Unit(s) _____	/ each
	9.11	Tapping screw with countersunk head B 4.2 x 22		1158002 •	Unit(s) _____	/ each

9. Fixing material

Article	Item	Description	Production period	Art. no.	Quantity	€
	9.12	Round-head screw with square neck			Unit(s)	
		M6 × 12		1161048 •	_____	/ each
		M6 × 30		8991749 •	_____	/ each
		M8 × 16		1091000 •	_____	/ each
		M8 × 25		8991745 •	_____	/ each
	9.13	Flat-head screw M8 × 16		3043208 •	Unit(s) _____	/ each
	9.14	Self-tapping screw M6 × 12		8991748 •	Unit(s) _____	/ each
	9.15	Torx self-tapping pan-head screw 4.2 × 9.5		1314001 •	Unit(s) _____	/ each
	9.16	Hexagon head tapping screw			Unit(s)	
		B 6.3 × 16		1047101 •	_____	/ each
		B 6.3 × 19		1041019 •	_____	/ each
	9.17	Torx self-tapping pan-head screw M4 × 8		8992301 •	Unit(s) _____	/ each
	9.18	Adapter sleeve 12 to 15 mm		8992305 •	Unit(s) _____	/ each

10. L-Boxx for roller garage door, standard

Article	Item Description	Production period	Art. no.	Quantity	€
	10.1 L-Boxx for roller garage door, standard		8991375 	Unit(s) 1	/ each
	Spring guide		8991208	2	
	Interior handle		8991221	2	
	Cable return pulley module		8991223	2	
	Spring securing pin		1192000	4	
	Locking ring		8991233	4	
	Locking ring 25 x 1.2		8991228	2	
	Plastic screw 3.5 x 10		8991217	20	
	Holding clip		1071200	4	
	Self-tapping screw B4.8 x 13		8991220	20	
	Steel cable Ø 2 mm for RollMatic L = 1900 mm (2 units)		8991294	1	
	Steel cable Ø 2 mm for RollMatic L = 2000 mm (2 units)		8991295	1	
	Steel cable Ø 2 mm for RollMatic L = 2100 mm (2 units)		8991296	1	
	Track roller module		8991222	2	
	Track roller module FS 75 (disassembled)		8991823	2	
	Track roller module FS 105 (disassembled)		8994713	2	
	Guide roller operator series 2 module		8992178	2	
	Wind lock PU 77		8991525	2	
	Glider PU 77		8991526	2	
	Guide channel, left		8991713	1	
	Guide channel, right		8991714	1	
	Fitting belt		8991384	2	
	Guide channel FS 75 left		8991871	1	
	Guide channel FS 75 right		8991872	1	
	Guide channel FS 110 operator series 2, left		8991873	1	
	Guide channel FS 110 operator series 2, right		8991874	1	
	End-of-travel position setting tool		8991816	1	
	Feed-in aid FS 105 left		8991881	1	
	Feed-in aid FS 105 right		8991882	1	
	Roller module		8993409	2	
	Folding roller bracket module		8993442	2	
	Cable clip N-5B white 8 mm		8994757	1	
	Cable clip N-4BE-BK black 6.4 mm		8994756	1	
	Tubular drive stop left		8994711	1	
	Tubular drive stop right		8994712	1	
	Bottom profile fixing		8991822	2	

Brand quality for residential and commercial construction

The family-owned company Hörmann offers all important construction components for building and renovating projects from a single source. We manufacture in highly-specialised factories using the latest production technologies. Furthermore, our employees work intensively on new products, continual further developments and improvements to details. The results are patents and one-of-a-kind products you can depend on.



HÖRMANN